



MU IV

TIG - With or without filler wire, AVC, OSC

Open welding head

for welding of tube-to-tube joints,
tube to elbow joints...



POLYSOUDE
THE ART OF WELDING

MU IV Open welding head

for welding of tube-to-tube joints, tube to elbow joints...


A range of modular standard welding heads, perfectly adapted to your needs

General characteristics


Advantages

- ▶ Productivity increase of more than one third
- ▶ Easy to use
- ▶ Challenging applications, even with delicate materials, can be welded
- ▶ Quick to set-up according to the workload making variations in production capacity trouble free
- ▶ Precision engineered assemblies for a lifetime of trouble-free service

Resulting from 50 years' experience in mastering welding technologies



MU IV for use with external wire feeder



Drive motor with angle gearbox for reduced axial clearance



MU IV with integrated wire feeder



MU IV with AVC/OSC

Associated Power Sources



▶ PS 164-2

160 A, "all inclusive", portable, single-phase power supply



▶ P4

170 A, "modular", portable, programming by PC or touch screen, single-phase power supply



▶ P6

300 A, "all applications", programming by PC or touch screen, with Arc Voltage Control (AVC) and Torch Oscillation Control (OSC), three-phase power supply

Wire feeders




▶ Polyfil series

External portable wire feeders with spool protection

Technical specifications

Cable length: 9m



P – Chuck clamping system
 C – Shell clamping system
 NA = Non Applicable
 ◆ = reduced

	Type	Dimensions in mm					
		Double clamping system recommended Min. O.D. / Max. O.D.	Ø A (mm)	B (mm)	C (mm)	D (mm)	E (mm)
P-clamping – adjustable for the entire O.D. range	MU IV CW Ø _{min.} / Ø _{max.}						
	MU IV 8/38 CW P	NA	126	16	5	96	72
	MU IV 14/38 CW P ◆	NA	96	12	5	96	72
	MU IV 19/80 CW P	NA	172	16	5	97	103
	MU IV 25/115 CW P	NA	215	16	5	101	148
	MU IV 25/128 CW P	NA	240	16	5	99	173
	MU IV 76/195 CW P	NA	410	30,5	14	158,5	208
MU IV 114/275 CW P	NA	500	30,5	14	172,5	276	
C-clamping – one shell per O.D.	MU IV 14/38 CW C	Ø 14 ÷ 38	126	16	5	79	72
	MU IV 14/38 CW C ◆	Ø 14 ÷ 38	96	12	5	79	74
	MU IV 30/58 CW C ◆	Ø 30 ÷ 58	155	12	5	88	93
	MU IV 30/80 CW C	Ø 30 ÷ 80	172	16	5	88	103
	MU IV 50/115 CW C	Ø 50 ÷ 115	215	16	5	92	148
	MU IV 50/128 CW C	Ø 50 ÷ 128	240	16	5	108	173
	MU IV 76/195 CW C	NA	410	30,5	14	178	208
	MU IV 114/275 CW C	NA	500	30,5	14	178,5	276

	MU IV AVC/OSC CW Ø _{min.} / Ø _{max.}	Double clamping system recommended Min. O.D. / Max. O.D.	Ø A (mm)	B (mm)	Amplitud		D (mm)	E (mm)
					Ca (mm)	Cb (mm)		
P-clamping – adjustable for the entire O.D. range	MU IV 8/38 AVC/OSC CW P	NA	142	23	20	20	150	72
	MU IV 19/80 AVC/OSC CW P	NA	200	16	20	20	136	103
	MU IV 42/115 AVC/OSC CW P	NA	235	16	20	20	139	148
	MU IV 42/128 AVC/OSC CW P	NA	340	16	20	30	134	173
	MU IV 76/195 AVC/OSC CW P	NA	410	16	20	30	165	208
	MU IV 114/275 AVC/OSC CW P	NA	530	16	20	30	179	276
SC-clamping – one shell per O.D.	MU IV 14/38 AVC/OSC CW C	Ø 8 ÷ 38	142	23	20	20	130	72
	MU IV 14/38 AVC/OSC CW C ◆	Ø 14 ÷ 38	132	35,5	20	20	130	74
	MU IV 30/51 AVC/OSC CW C ◆	Ø 30 ÷ 51	145	35,5	20	20	142	94
	MU IV 30/64 AVC/OSC CW C ◆	Ø 30 ÷ 64	158	35,5	20	20	142	94
	MU IV 30/80 AVC/OSC CW C	Ø 30 ÷ 80	200	16	20	20	126	103
	MU IV 50/115 AVC/OSC CW C	NA	235	16	20	20	128	148
	MU IV 50/128 AVC/OSC CW C	Ø 50 ÷ 128	340	16	20	30	143	173
	MU IV 76/195 AVC/OSC CW C	NA	410	16	20	30	185	208
MU IV 114/275 AVC/OSC CW C	NA	530	16	20	30	184	276	

Options and accessories

- On board wire feeder for 1.5kg spool or external POLYFIL wire feeder for 15kg spool with wire accessories
- Clamp shells (C-clamping system) for all tube and pipe O.D.'s
- Extension cable (15m)
- Dual welding head switch box
- Compact shipping case for transport and storage
- Tungsten electrodes, pre-sharpened and pre-cut

 Adapted for all your applications!



"As working conditions are better than in manual welding, a welding operator accomplishes on average 30% more welds per day."

POLYSOUDE : Related services

► Guidance and technical support

A welding application specialist in your area will advise you on the welding process and appropriate equipment for your application.

► Commissioning / Training

A complete training program will enable you to start using the equipment immediately and in the best way possible.

► Maintenance / Repair

Maintenance and repair operations can be carried out at the Polysoude plant as well as on site by our service network.

► Rental service

Increase the flexibility of your production! A large range of equipment is available for rental from our hire fleet.

Your partners worldwide

ARGENTINA

POLYSOUDE S.A.S.
☎ +33 (0) 2 40 68 11 00
info@polysoude.com

AUSTRALIA

POLYSOUDE S.A.S.
☎ +33 (0) 2 40 68 11 00
info@polysoude.com

AUSTRIA

POLYSOUDE AUSTRIA GmbH
☎ +43 (0) 3613 200 36
austria@polysoude.at

BAHRAIN

SALWO TRADING Ltd.
☎ +971 (0) 48 81 05 91
salwo@emirates.net.ae

BELGIUM

POLYSOUDE BENELUX
☎ +31 (0) 653 84 23 36
k.meurs@polysoude.com

POLYSOUDE BENELUX

(SERVICE)
☎ +31 (0) 653 38 85 58
h.milder@polysoude.com

BRAZIL

AJADE COMÉRCIO INSTALAÇÕES E SERVIÇOS Ltda.
☎ +55 (0) 11 4524 3898
fernando@ajade.com.br

BULGARIA

KARWELD EOOD
☎ +359 (0) 29 73 32 15
Karweld@bg400.bg

CANADA

MAG Tool – West
EDMONTON - ALBERTA
☎ +1 800 661 9983
magtool@magtool.com

MAG Tool – East

TORONTO - ONTARIO
☎ +1 905 699 - 5016
ray@magtool.com

CHINA

POLYSOUDE SHANGHAI CO. Ltd
☎ +86 (0) 21 64 09 78 26
jm.pan@polysoude.com.cn

CROATIA

EUROARC D.O.O.
☎ +385 (0) 1 2 40 60 77
euroarc@euroarc.hr

CZECH REPUBLIC

POLYSOUDE CZ
☎ +420 602 60 28 55
m.matousek@polysoude.cz

DENMARK

HALL & CO. INDUSTRI
☎ +45 (0) 39 56 06 76
p.lorenzen@polysoude.com

EGYPT

POLYSOUDE UK
☎ +44 (0) 1942 820 935
info@polysoude.com

ESTONIA

POLYSOUDE S.A.S.
☎ +33 (0) 2 40 68 11 00
info@polysoude.com

FINLAND

SUOMEN TEKNOHAUS OY
☎ +358 (0) 927 47 2 10
info@teknohaus.fi

FRANCE

POLYSOUDE S.A.S.
☎ +33 (0) 2 40 68 11 00
info@polysoude.com

GERMANY

POLYSOUDE DEUTSCHLAND GmbH
DUSSLINGEN
☎ +49 (0) 7072 60076 0
info@polysoude.de

GREECE

POLYSOUDE S.A.S.
☎ +33 (0) 2 40 68 11 00
info@polysoude.com

JAPAN

GMT CO Ltd – KAWASAKI
☎ +81 (0) 44 222 6751
gmt@e-gmt.co.jp

GMT CO Ltd – OSAKA

☎ +81 (0) 798 35 6751
gmt.kansai@e-gmt.co.jp

JORDAN

POLYSOUDE UK
☎ +44 (0) 1942 820 935
info@polysoude.com

KUWAIT

SALWO TRADING Ltd.
☎ +971 (0) 48 81 05 91
salwo@emirates.net.ae

LATVIA

POLYSOUDE S.A.S.
☎ +33 (0) 2 40 68 11 00
info@polysoude.com

OMAN

SALWO TRADING Ltd.
☎ +971 (0) 48 81 05 91
salwo@emirates.net.ae

PAKISTAN

POLYSOUDE S.A.S.
☎ +33 (0) 2 40 68 11 00
info@polysoude.com

PHILIPPINES

POLYSOUDE S.A.S.
☎ +33 (0) 2 40 68 11 00
info@polysoude.com

POLAND

UNIDAWELD – BEDZIN
☎ +48 (0) 32 267 05 54
dariusz.szota@unidaweld.pl

SUPRA ELCO

☎ +48 500 004 804
jacek.szulc@supraelco.waw.p

SINGAPORE

POLYSOUDE SINGAPORE OFFICE
☎ +65 0734 8452
Jmpan@singnet.com.sg

SLOVAKIA

POLYSOUDE CZ
☎ +420 602 60 28 55
m.matousek@polysoude.cz

SOUTH AFRICA

POLYSOUDE S.A.S.
☎ +33 (0) 2 40 68 11 00
info@polysoude.com

SOUTH KOREA

CHEMIKO CO Ltd
☎ +82 (0) 2 567 5336
chemiko@chemiko.net

SPAIN

POLYSOUDE IBERIA OFFICE
☎ +34 609 154 683
la.deandres@polysoude.com

SWEDEN

HALL & CO. INDUSTRI
☎ +45 (0) 39 56 06 76
p.lorenzen@polysoude.com

SWITZERLAND

POLYSOUDE (SWITZERLAND) Inc.
☎ +41 (0) 43 243 50 80
contact@polysoude.ch

TAIWAN R.O.C.

FIRST ELITE ENT. CO. Ltd
☎ +886 (0) 287 97 88 99
auto.pipe@msa.hinet.net

THAILAND

POLYSOUDE S.A.S.
☎ +33 (0) 2 40 68 11 00
info@polysoude.com

TURKEY

EGE MAKINE
☎ +90 (0) 212 237 36 00
onurakin@egemakina.com.tr

UNITED ARAB EMIRATES

SALWO TRADING Ltd.
☎ +971 (0) 48 81 05 91
salwo@emirates.net.ae

UNITED KINGDOM

POLYSOUDE UK
☎ +44 (0) 1942 820 935
admin.uk@polysoude.com

UKRAINE

POLYSOUDE RUSSIA
☎ +7 (0) 495 564 86 81
polysoude@co.ru

UNITED STATES

ASTRO ARC POLYSOUDE Inc.
☎ +1818 (859) 7600
sales@astroarc.com

VENEZUELA

ENRIVA C.A.
☎ +58 (0) 412 34 82 602
enriva@gmail.com

VIETNAM

ANH DUONG IT Ltd
☎ +84 22 159 532
an@anhduongco.com



HUNGARY

POLYWELD Kft.
☎ +36 (0) 20 29 88 708
polyweld@polyweld.hu

INDIA

POLYSOUDE INDIA
☎ +91 (0) 20 271 27 678
ab.kulkarni@polysoude.in

INDONESIA

POLYSOUDE SINGAPORE OFFICE
☎ +65 0734 8452
Jmpan@singnet.com.sg

IRAN

STD CO
☎ +98 21 88525206-7
najco_ir@hotmail.com

ISRAEL

POLYSOUDE S.A.S.
☎ +33 (0) 2 40 68 11 00
info@polysoude.com

ITALY

POLYSOUDE ITALIA SRL
☎ +39 02 93 79 90 94
info@polysoude.it

LITHUANIA

POLYSOUDE S.A.S.
☎ +33 (0) 2 40 68 11 00
info@polysoude.com

MALAYSIA

POLYSOUDE SINGAPORE OFFICE
☎ +65 0734 8452
Jmpan@singnet.com.sg

NETHERLANDS

POLYSOUDE BENELUX
☎ +31 (0) 653 84 23 36
k.meurs@polysoude.com

POLYSOUDE BENELUX

(SERVICE)
☎ +31 (0) 653 38 85 58
h.milder@polysoude.com

NEW ZEALAND

POLYSOUDE S.A.S.
☎ +33 (0) 2 40 68 11 00
info@polysoude.com

NORWAY

TEMA NORGE AS
☎ +47 (0) 51 69 25 00
tema@tema-norge.no

PORTUGAL

POLYSOUDE IBERIA OFFICE
☎ +34 609 154 683
la.deandres@polysoude.com

QATAR

SALWO TRADING Ltd.
☎ +971 (0) 48 81 05 91
salwo@emirates.net.ae

REPUBLIC OF IRELAND

POLYSOUDE UK
☎ +44 (0) 1942 820 935
admin.uk@polysoude.com

ROMANIA

DEBISUD CONCEPT S.R.L.
☎ +40 (0) 255 21 57 85
office@debisud.ro

RUSSIA + C.I.S.

POLYSOUDE RUSSIA
☎ +7 495 564 86 81
info@polysoude.ru

SAUDI ARABIA

SALWO TRADING Ltd.
☎ +971 (0) 48 81 05 91
salwo@emirates.net.ae

This document is not contractual. Typographical errors & omissions excluded. - Copyright - POLYSOUDE™ - 11/2017



POLYSOUDE
THE ART OF WELDING

Find us on



Polysoude S.A.S.
Z.I. du Bois Briand • 2 rue Paul Beaupère
F - 44300 NANTES

Tél.: +33 (0) 2 40 68 11 00 • Fax: + 33 (0) 2 40 68 11 88
www.polysoude.com • e-mail: info@polysoude.com