


# Manual Pipe Clamps, double



Double chain clamp type 2500D is an easy tool for clamping pipe to pipe, pipe to bend, pipe to tee or pipe to flange. The low weight make it very easy to operate in the workshop and on site.

These clamps can adjust and align pipes with wall-thickness up to 1/2" (12 mm), and has a clamping force of 2500 kg.

The clamps can be used for several pipe dimensions, simply by removing the jack-bars. The jack-bars are made of stainless steel on all our clamps.

Type 2500D can be used for stainless steel, as only stainless steel is in contact with the pipe.

All clamps can be used for pipe dimensions from 5".

### Type 2500D (double)

Range	For stainless steel			For carbon steel		
	Cat. No.	No. jackbars	Weight (kg/lbs)	Cat. No.	No. jackbars	Weight (kg/lbs)
5 - 12"	2500DS512	4	11,0 22,0	2500DM512	4	11,0 22,0
5 - 16"	2500DS516	5	12,6 25,2	2500DM516	4	11,8 23,6
5 - 20"	2500DS520	6	14,2 28,4	2500DM520	5	13,4 26,8
5 - 24"	2500DS524	7	15,4 30,8	2500DM524	6	14,6 29,2
5 - 32"	2500DS532	10	19,4 38,8	2500DM532	8	17,8 35,6
5 - 36"	2500DS536	11	20,5 41,0	2500DM536	9	18,9 37,8
5 - 42"	2500DS542	13	22,7 45,4	2500DM542	11	21,2 42,4
5 - 48"	2500DS548	14	24,1 48,2	2500DM548	13	23,3 46,6
5 - 54"	2500DS554	15	25,2 50,4	2500DM554	14	24,4 48,8
5 - 60"	2500DS560	16	27,0 54,0	2500DM560	15	26,2 52,4